

DOI: 10.22616/foodbalt.2017.026

References

1. Baronian K.H.R., Gurazada S. (2007) Electrochemical detection of wild type *Saccharomyces cerevisiae* responses to estrogens. *Biosensors and Bioelectronics*, Vol. 22, p. 2493–2499.
2. Coelho M., Dereli A., Haese A., Kuhn S., Malinowska L., DeSantis M., Shorter J., Alberti S., Gross T., Tolic-Nørrelykke I. (2013) Fission yeast does not age under favorable conditions, but does so after stress. *Current Biology*, Vol. 23, p. 1844–1852.
3. Deere D., Shen J., Vesey G., Bell P., Bissinger P., Veal D. (1998) Flow cytometry and cell sorting for yeast viability assessment and cell selection. *Yeast*, Vol. 14, p. 147–160.
4. Flohe L. (2010) Changing paradigms in thiology: from antioxidant defense toward redox regulation. In: *Methods in Enzymology*. Vol. 473. Thiol Redox Transitions in Cell Signaling, Part A.: Chemistry and Biochemistry of Low Molecular Weight and Protein Thiols. 1st ed. E. Cadenas, L. Packer (eds). London: Academic Press, p. 1–39.
5. Ksenzhek O.S., Petrova S.A. (1984) Электрохимические свойства обратимых ред-окс систем. [Electro chemical properties of reversible red-ox systems]. Moscow: Nauka, 250 p. (in Russian).
6. Leung-Toung R., Li W., Tam T., Karimian K. (2002) Thiol-dependent enzymes and their inhibitors: A review. *Current Medicine Chemistry*, Vol. 9(9), p. 979–1002.
7. Liu H., Lightfoot R., Stevens J. (1996) Activation of heat shock factor by alkylating agents is triggered by glutathione depletion and oxidation of protein thiols. *Journal of Biology and Chemistry*, Vol. 271(9), p. 4805–4812.
8. Lowry O.H., Rosenbrough N.J., Farr A.L., Randall R.J. (1951) Protein measurement with the Folin phenol reagent. *Journal of Biology and Chemistry*, Vol. 193(1), p. 265–275.
9. Mattanovich D., Borth N. (2006) Applications of cell sorting in biotechnology. *Microbial Cell Factories*. Vol. 5, p. 12–17.
10. Munday R., Winterbourn C. (1989) Reduced glutathione in combination with superoxide dismutase as an important biological antioxidant defense mechanism. *Biochemistry Pharmacology*, Vol. 38(24), p. 4349–4352.
11. Müller S., Lösche A. (2004) Population profiles of a commercial yeast strain in the course of brewing. *Journal of Food Engineering*, Vol. 63, p. 375–381.
12. Nakamura H. (2004) Thioredoxin as a key molecule in redox signaling. *Antioxid. Redox Signal*, Vol. 6(1), p. 15–17.
13. Petit P., Glab N., Marie D., Kieffer H., Metzseau P. (1996) Discrimination of respiratory dysfunction in yeast mutants by confocal microscopy, image, and flow cytometry. *Cytometry*, Vol. 23, p. 28–38.
14. Schafer F., Buettner G. (2001) Redox environment of the cell as viewed through the redox state of the glutathione disulfide/glutathione couple. *Free Radical Biol. Med.*, Vol. 30 (11), p. 1191–1212.
15. Schreuder M.P., Mooren A.T., Toschka H.Y., Verrips C.T., Klis F.M. (1996) Immobilizing proteins on the surface of yeast cells. *Trends Biotechnology*, Vol. 14, p. 115–120.
16. Sokolovskij V.V. (1962) Определение сульфгидрильных групп в крови амперометрическим титрованием [Determination of sulfhydryl groups in the blood by amperometric titration]. *Lab. Delo*, Vol. 8, p. 3–6 (in Russian).
17. Sokolovskij V.V. (2008) Тиолдисульфидная система в реакции организма на факторы окружающей среды [Thiol disulfide system in the body's reaction to environmental factors] St. Petersburg: Nauka, 112 p. (in Russian).
18. Zhilinskaia N.T., Bazarnova J.G., Shleikin A.G., Peshuk L.V., Galenko O. (2016) Using of bioinformatics and computer morphometry in study of *Fusarium* spp. causing potato dry rot. *Ukrainian Food Journal*, Vol. 5(3), p. 515–522 (in Russian).