

- quality characteristics of chinese yellow crossbreed cattle. *The Scientific World Journal*, Vol. 2014, p. 1–8.
15. Lomiwes D., Farouk M.M., Wu G., Young O.A. (2014) The development of meat tenderness is likely to be compartmentalised by ultimate pH. *Meat Science*, Vol. 96 (1), p. 646–651.
 16. Lonergan E.H., Zhang W., Steven M.Lonergan S.M. (2010) Biochemistry of postmortem muscle – Lessons on mechanisms of meat tenderization. *Meat Science*, Vol. 84, p. 184–196.
 17. Longo V., Lana A., Bottero M.T., Zolla L. (2015) Apoptosis in muscle-to-meat aging process: The omic witness. *Journal of Proteomics*, Vol. 125, p. 29-40.
 18. Marino R., Albenzio M., della Malva A., Santillo A., Loizzo P., Sevi A. (2013). Proteolytic pattern of myofibrillar protein and meat tenderness as affected by breed and aging time. *Meat Science*, Vol. 95, p. 281–287.
 19. Muroya S., Ertbjerg P., Pomponio L., Christensen M. (2010) Desmin and troponin T are degraded faster in type IIb muscle fibers than in type I fibers during postmortem aging of porcine muscle. *Meat Science*, Vol. 86 (3), p. 764–769.
 20. Pulford D.J., Dobbie P., Vazques S.F., Fraser-Smith E., Frost D.A., Morris C.A. (2009) Variation in bull beef quality due to ultimate muscle pH is correlated to endopeptidase and small heat shock protein levels. *Meat Science*, Vol., 83 (1), p. 1–9.
 21. Rammouz R.E., Babile R., Fernande Z X. (2004) Effect of ultimate pH on the physicochemical and biochemical characteristics of turkey breast muscle showing normal rate of post-mortem pH fall. *Poultry Science*, Vol. 83(10), p. 1750–1757.
 22. Sazonova S., Galoburda R., Gramatina I., Straumite E. (2018) High pressure effect on the sensory and physical attributes of pork. *Research for Rural Development 2018*, Vol.1, p. 227–232.
 23. Silva J.A., Patarata L., Martins C. (1999) Influence of ultimate pH on bovine meat tenderness during ageing. *Meat Science*, Vol. 52 (4), p. 453–459.
 24. Toldra, F. (2010) *Handbook of meat processing*. USA: Publishing by Wiley-Blackwell. 566 p.
 25. Velotto S., Pagano F., Barone C.M.A., Esposito M., Civale G., Crasto A. (2015) Effect of aging technologies on some qualitative characteristics of *Longissimus dorsi* muscle of Marchigiana beef. *Agronomy Research*, Vol. 13 (4), p. 1143–1151.
 26. Wu G., Farouk M. M., Clerens S., Rosenvold K. (2014). Effect of beef ultimate pH and large structural protein changes with aging on meat tenderness. *Meat Science*, Vol. 98, p. 637–645.
 27. Yang X., Niu L., Zhu L., Liang R., Zhang Y., Luo X. (2015) Shelf-Life extension of chill-stored beef *Longissimus* steaks packaged under modified atmospheres with 50% O₂ and 40% CO₂. *Journal of Food Science*, Vol. 81(7), p. 1–7.