

- honeydew melons and imported melons. *Journal of Food Composition and Analysis*, Vol. 24 (2), p. 194–201.
17. Lester G. E., Jifon J. L., Rogers G. (2005) Supplemental foliar potassium applications during muskmelon fruit development can improve fruit quality, ascorbic acid, and beta-carotene contents. *Journal of the American Society for Horticultural Science*, Vol. 130(4), p. 649–653.
 18. Marrelli M., Menichini F., Statti G. A., Bonesi M., Duez P., Menichini F., Conforti F. (2012) Changes in the phenolic and lipophilic composition, in the enzyme inhibition and antiproliferative activity of *Ficus carica* L. cultivar Dottato fruits during maturation. *Food and Chemical Toxicology*, Vol. 50, p. 726–733.
 19. Mavlyanova R.F. (2005) Melons of Uzbekistan. Tashkent: PGRI www.ipgri.cgiar.org ISBN 978-92-9043-711-6 ISBN 92-9043-711-6. 206 p.
 20. Mian K. H., Mohamed H. (2001) Flavonoid (myricetin, quercetin, kaempferol, luteolin and apigenin) content of edible tropical plants. *Journal of Agricultural and Food Chemistry*, Vol. 49(6), p. 3106–3112.
 21. Ostonakulov T.E., Sanaev S.T., Khamdamova E.I. (2016) *Samarkand melons*. Samarkand: Navruz. 39 p.
 22. Ostonakulov, T.E., Zuev V.I., Kodirkhuzhaev O.K. (2016). *Vegetable*. Tashkent: Navruz. 552 p.
 23. Pinelo M., Rubilar M., Sineiro J., Nunez M. J. (2004) Extraction of antioxidant phenolics from almond hulls (*Prunus amygdalus*) and pine sawdust (*Pinus pinaster*). *Food Chemistry*, Vol. 85(2), p. 267–273.
 24. Re R., Pellegrini N., Proteggente A., Pannala A., Yang M., Rice-Evans C. (1999) Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radical Biology and Medicine*, Vol. 26, p. 1231–1237.
 25. Rodrigues S., Fernandes F. A. N. (2007) Dehydration of melons in a ternary system followed by air-drying. *Journal of Food Engineering*, Vol. 80, p. 678–687.
 26. Sanitary norms, rules and hygienic standards of the Republic of Uzbekistan. (2010) Hygienic requirements for food safety. SanPin RUz № 0283-10. Official Edition. Tashkent.
 27. Seglina D. (2007) Sea buckthorn fruits and their processing products. *Summary of promotion work for acquiring the Doctor's degree in Engineering Sciences in the Food Science*. Jelgava, Latvia, 48 p.
 28. Silva M. A., Albuquerque T. G., Alves R. C., Oliveira M. B. P. P., Costa H. S. (2018) Melon (*Cucumis melo* L.) by-products: Potential food ingredients for novel functional foods? *Trends in Food Science and Technology*, In press, Corrected Proof, Available online 26 July 2018.
 29. Singleton V. L., Orthofer R., Lamuela-Raventos R. M. (1999) Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin-Ciocalteu reagent. *Methods in Enzymology*, Vol. 29, p. 152–178.
 30. Siriamornpun S., Kaisoon O., Meeso N. (2012) Changes in colour, antioxidant activities and carotenoids (lycopene, b-carotene, lutein) of marigold flower (*Tagetes erecta* L.) resulting from different drying processes. *Journal of Functional Foods*, Vol. 4, p. 757–766.
 31. Solval K.M., Sundararajan S., Alfaro L., Sathivel S., (2012) Development of cantaloupe (*Cucumis melo*) juice powders using spray drying technology. *LWT-Food Science and Technology*, Vol. 46, p. 287–293.
 32. *Strategy of actions in five priority directions of development of the Republic of Uzbekistan in 2017 – 2021*. Presidential Decree –5308 of 22.01.2018. On the State Program National database of legislation, 01.23.2018, No. 06/18/ 5308/0610; 05/25/2018, No. 06/18/5447/1269. [accessed on 02.01.2018.]. Available at: <http://lex.uz/docs/3516841>
 33. The state register of crops recommended for sowing in the territory of the Republic of Uzbekistan. (2018) Ministry of Agriculture and Water Resources of the Republic of Uzbekistan. The State Commission for the Testing of various varieties of crops. Tashkent. p. 54–56.
 34. Timoumi S., Mihoubi D., Zagrouba F. (2004) Simulation model for a solar drying process. *Desalination*, Vol. 168, p. 111–115.
 35. Tomsone L., Kruma Z. (2014) Influence of freezing and drying on the phenol content and antioxidant activity of horseradish and lovage. **In:** *9th Baltic conference on food science and technology "Food for consumer well-being" FOODBALT 2014 Conference proceedings*. Jelgava, Latvia, p. 192–197.
 36. Tomsone L., Kruma Z., Galoburda R., Dimins F., Kreicbergs V. (2013) Influence of technological processes on the phenol content and antioxidant properties of horseradish roots (*Armoracia rusticana* L.). **In:** *2nd International conference on Nutrition and Food Sciences "Chemical, Biological and Environmental Engineering" International Conference proceedings*, Moscow, Russia, Vol. 53. p. 6–10.
 37. Tomsone L., Kruma Z., Lapse L. (2012) Influence of genotype and harvest time on the phenolic content of horseradish (*Armoracia rusticana* L.) roots. **In:** *Research for rural development 2012: annual 18th international scientific conference proceedings*, Latvia University of Agriculture. Jelgava: LLU, 2012. Vol.1, p. 124–130.
 38. Yang J., Chen J., Zhao Y., Mao L. (2010) Effects of drying processes on the antioxidant properties in sweet potatoes. *Agricultural Sciences in China*, Vol. 9(10), p. 1522–1529.
 39. Yu L., Haley S., Perret J., Harris M., Wilson J., Haley S. (2003) Antioxidant properties of bran extracts from Akron wheat grown at different locations. *Journal of Agriculture and Food Chemistry*, Vol. 51, p. 1566–1570.